

## Publikationen

- F. Falkensammer, C. Arnhart, C. Krall, W. Schaden, J. Freudenthaler, H.-P. Bantleon (2014)  
Impact of extracorporeal shock wave therapy (ESWT) on orthodontic tooth movement – a randomized clinical trial, Clin Oral Invest DOI 10.1007/s00784-014-1199-0
- Chenyu Huang, Johannes Holfeld, Wolfgang Schaden, Dennis Orgill, Rei Ogawa (2013)  
Mechanotherapy: revisiting physical therapy and recruiting mechanobiology for a new era in medicine, Trends Mol Med. 2013 Sep;19(9):555-64
- Mittermayr, R., Antonic, V., Hartinger, J., Kaufmann, H., Redl, H., Téot, L., Stojadinovic, A. and Schaden, W. (2012)  
Extracorporeal shock wave therapy (ESWT) for wound healing: Technology, mechanisms, and clinical efficacy, Wound Repair Regen (May 2012)
- Mittermayr, R., Hartinger, J., Antonic, V., Meinel, A., Pfeifer, S., Stojadinovic, A., Schaden, W., Redl, H. (2011)  
Extracorporeal Shock Wave Therapy (ESWT) Minimizes Ischemic Tissue Necrosis Irrespective of Application Time and Promotes Tissue Revascularization by Stimulating Angiogenesis. Ann.Surg.
- Stojadinovic, A., Kyle, P. B., Eberhardt, J., Shawen, S. B., Andersen, R. C., Forsberg, J. A., Shwery, C., Ester, E. A., Schaden, W. (2011)  
Development of a prognostic naive bayesian classifier for successful treatment of nonunions. J.Bone Joint Surg.Am. 93, 187-194
- van der Jagt, O. P., Piscaer, T. M., Schaden, W., Li, J., Kops, N., Jahr, H., van der Linden, J. C., Waarsing, J. H., Verhaar, J. A., de, J. M., Weinans, H. (2011)  
Unfocused extracorporeal shockwaves induce anabolic effects in rat bone. J.Bone Joint Surg.Am. 93, 38-48
- Furia, J. P., Juliano, P. J., Wade, A. M., Schaden, W., Mittermayr, R. (2010)  
Shock wave therapy compared with intramedullary screw fixation for nonunion of proximal fifth metatarsal metaphyseal-diaphyseal fractures. J.Bone Joint Surg. Am. 92, 846-854
- Ottomann, C., Hartmann, B., Tyler, J., Maier, H., Thiele, R., Schaden, W., Stojadinovic, A. (2010)  
Prospective randomized trial of accelerated re-epithelization of skin graft donor sites using extracorporeal shock wave therapy. J.Am.Coll.Surg. 211, 361-367
- Elster, E. A., Stojadinovic, A., Forsberg, J., Shawen, S., Andersen, R. C., Schaden, W. (2010)  
Extracorporeal shock wave therapy for nonunion of the tibia. J.Orthop.Trauma 24, 133-141
- Holfeld, J., Zimpfer, D., Schaden, W., Grimm, M. (2010) Reply to Sergej V. Jargin  
Shock wetherapy of ischemic heart disease in the light of general pathology. Int.J.Cardiol. 145, 240-241
- Ottoman, C., Hartmann, B., Schaden, W., Stojadinovic, A., Lavin, P. (2010)  
Prospective randomized trial of accelerated re-epithelialization of skin graft donor sites using extracorporeal shock wave therapy. J.Am.Coll.Surg. 211, 568-569
- Adamskaya, N., Dungal, P., Mittermayr, R., Hartinger, J., Feichtinger, G., Wassermann, K., Redl, H., van, G. M. (2010)  
Light therapy by blue LED improves wound healing in an excision model in rats. Injury 41, 1038-1042
- Branski, L. K., Masters, O. E., Herndon, D. N., Mittermayr, R., Redl, H., Traber, D. L., Cox, R. A., Kita, K., Jeschke, M. G. (2010)  
Pre-clinical evaluation of liposomal gene transfer to improve dermal and epidermal regeneration. Gene Ther.
- van der Jagt, O. P., van der Linden, J. C., Schaden, W., van Schie, H. T., Piscaer, T. M., Verhaar, J. A., Weinans, H., Waarsing, J. H. (2009)  
Unfocused extracorporeal shock wave therapy as potential treatment for osteoporosis. J.Orthop.Res. 27, 1528-1533
- Zimpfer, D., Aharinejad, S., Holfeld, J., Thomas, A., Dumfarth, J., Rosenhek, R., Czerny, M., Schaden, W., Gmeiner, M., Wolner, E., Grimm, M. (2009)  
Direct epicardial shock wave therapy improves ventricular function and induces angiogenesis in ischemic heart failure. J.Thorac.Cardiovasc.Surg. 137, 963-970
- Mittermayr, R., Hartinger, J., Hofmann, M., Schaden, W., Redl, H. (2008)  
When is the right time for ESWT? Influence of ESWT on Ischemia Induced Tissue Necrosis and Its Correlation with Application Time. ISMST Newsletter 4, 6-8
- Mittermayr, R., Morton, T., Hofmann, M., Helgerson, S., van, G. M., Redl, H. (2008)  
Sustained (rh)VEGF(165) release from a sprayed fibrin biomatrix induces angiogenesis, up-regulation of endogenous VEGF-R2, and reduces ischemic flap necrosis. Wound.Repair Regen. 16, 542-550



- Novak, K. F., Govindaswami, M., Ebersole, J. L., Schaden, W., House, N., Novak, M. J. (2008)  
Effects of low-energy shock waves on oral bacteria. *J.Dent.Res.* 87, 928-931
- Sathishkumar, S., Meka, A., Dawson, D., House, N., Schaden, W., Novak, M. J., Ebersole, J. L., Kesavalu, L. (2008)  
Extracorporeal shock wave therapy induces alveolar bone regeneration. *J.Dent. Res.* 87, 687-691
- Branski, L. K., Mittermayr, R., Herndon, D. N., Norbury, W. B., Masters, O. E., Hofmann, M., Traber, D. L., Redl, H., Jeschke, M. G. (2008)  
A porcine model of full-thickness burn, excision and skin autografting. *Burns* 34, 1119-1127
- Dungel, P., Mittermayr, R., Haindl, S., Osipov, A., Wagner, C., Redl, H., Kozlov, A. V. (2008)  
Illumination with blue light reactivates respiratory activity of mitochondria inhibited by nitric oxide, but not by glycerol trinitrate. *Arch.Biochem.Biophys.* 471, 109-115
- Dumfarth, J., Zimpfer, D., Vogeke-Kadletz, M., Holfeld, J., Sihorsch, F., Schaden, W., Czerny, M., Aharinejad, S., Wolner, E., Grimm, M. (2008)  
Prophylactic low-energy shock wave therapy improves wound healing after vein harvesting for coronary artery bypass graft surgery: a prospective, randomized trial. *Ann.Thorac.Surg.* 86, 1909-1913
- Petter-Puchner, A. H., Fortelny, R. H., Walder, N., Mittermayr, R., Ohlinger, W., van, G. M., Redl, H. (2008)  
Adverse effects associated with the use of porcine cross-linked collagen implants in an experimental model of incisional hernia repair. *J.Surg.Res.* 145, 105-110
- Schaden, W., Thiele, R., Kolpl, C., Pusch, M., Nissan, A., Attinger, C. E., Maniscalco-Theberge, M. E., Peoples, G. E., Elster, E. A., Stojadinovic, A. (2007)  
Shock wave therapy for acute and chronic soft tissue wounds: a feasibility study. *J.Surg.Res.* 143, 1-12
- Mittermayr, R., Osipov, A., Piskernik, C., Haindl, S., Dungel, P., Weber, C., Vladimirov, Y. A., Redl, H., Kozlov, A. V. (2007)  
Blue laser light increases perfusion of a skin flap via release of nitric oxide from hemoglobin. *Mol.Med.* 13, 22-29
- Michlits, W., Mittermayr, R., Schafer, R., Redl, H., Aharinejad, S. (2007)  
Fibrin-embedded administration of VEGF plasmid enhances skin flap survival. *Wound.Repair Regen.* 15, 360-367
- Mittermayr, R., Hartinger, J., Hofmann, M., Krammel, F., van Griensven, M., Schaden, W., Redl, H. (2007)  
Extracorporeal Shock Wave Therapy clearly reduces ischemia-induced tissue necrosis irrespective of application time. 10th International ISMST Congress Toronto[Canada]. 2007.
- Fortelny, R. H., Petter-Puchner, A. H., Walder, N., Mittermayr, R., Ohlinger, W., Heinze, A., Redl, H. (2007)  
Cyanoacrylate tissue sealant impairs tissue integration of macroporous mesh in experimental hernia repair. *Surg.Endosc.* 21, 1781-1785
- Mittermayr, R., Wassermann, E., Thurnher, M., Simunek, M., Redl, H. (2006)  
Skin graft fixation by slow clotting fibrin sealant applied as a thin layer. *Burns* 32, 305-311
- Schmidhammer, R., Zandieh, S., Mittermayr, R., Pelinka, L. E., Leixnering, M., Hopf, R., Kroepfl, A., Redl, H. (2006)  
Assessment of bone union/nonunion in an experimental model using microcomputed technology. *J.Trauma* 61, 199-205
- Petter-Puchner, A. H., Fortelny, R. H., Mittermayr, R., Walder, N., Ohlinger, W., Redl, H. (2006)  
Adverse effects of porcine small intestine submucosa implants in experimental ventral hernia repair. *Surg.Endosc.* 20, 942-946
- Petter-Puchner, A. H., Fortelny, R., Mittermayr, R., Ohlinger, W., Redl, H. (2005)  
Fibrin sealing versus stapling of hernia meshes in an onlay model in the rat. *Hernia.* 9, 322-329
- Mittermayr, R.  
ASPECTS OF WOUNDHEALING AND ANGIOGENESIS IN PLASTIC/ RECONSTRUCTIVE SURGERY (FLAPS AND GRAFTS) – EXPERIMENTAL STUDIES. 2005. LBI for experimental and clinical traumatology - Austrian Cluster for Tissue Regeneration. Thesis/Dissertation
- Mittermayr, R., Valentini, D., Fitzal, F., Hallstrom, S., Gasser, H., Redl, H. (2003)  
Protective effect of a novel NO-donor on ischemia/reperfusion injury in a rat epi gastric flap model. *Wound.Repair Regen.* 11, 3-10
- Martini, L., Giavaresi, G., Fini, M., Torricelli, P., de, P. M., Schaden, W., Giardino, R. (2003)  
Effect of extracorporeal shock wave therapy on osteoblastlike cells. *Clin.Orthop. Relat Res.* 269-280

- Schaden, W., Fischer, A., Sailer, A. (2001)  
Extracorporeal shock wave therapy of nonunion or delayed osseous union. Clin. Orthop.Relat Res. 90-94
- Fitzal, F., Valentini, D., Mittermayr, R., Wörseg, A., Gasser, I. H., Redl, H. (2001)  
Circulatory changes after prolonged ischemia in the epigastric flap. J.Reconstr. Microsurg. 17, 535-543
- Coombs, R., Schaden, W., Zhou, S. (2000)  
Musculoskeletal shockwave therapy. Greenwich Medical Media, London.
- Schaden, W., Kuderna, H. (1997)  
Extracorporeal shock wave therapy (ESWT) in 37 patients with non-union or delayed osseous union in diaphyseal fractures. In High energy shock waves in medicine (Chaussy, C., Eisenberger, F., Jocham, D., and Wilbert, D., eds) pp. 121-126, Thieme Verlag, Stuttgart.
- Piza-Katzer, H., Schaden, W. (1991)  
[How long is a musculocutaneous microvascular transplant flap dependent on its vascular pedicle?]. Handchir.Mikrochir.Plast.Chir 23, 169-173
- Piza-Katzer, H., Schaden, W. (1991)  
[Revascularization of an incompletely amputated ear with a temporal artery fascia flap]. Unfallchirurg 94, 363-365
- Sim, E., Schaden, W. (1990)  
[Indications for and technic in the surgical treatment of tibial shaft fractures with open epiphyseal grooves. A report of 63 cases]. Unfallchirurg 93, 263-269